

Safety Data Sheet acc. to OSHA HCS

Printing date 08/11/2015

Reviewed on 03/18/2015

1 Identification

- Product identifier
- Trade name: STUFF for STAINLESS STEEL
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
BROCO PRODUCTS INC.
18624 SYRACUSE AVE
CLEVELAND, OH 44110 USA
sales@brocoproducts.com
- Emergency telephone number:
During Operating Hours: (216) 531-0880
24 Hour Emergency Phone: CHEMTREC 1-800-424-9300

2 Hazard(s) identification

- Classification of the substance or mixture
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
- Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS07

- Signal word Warning
- Hazard-determining components of labeling:
sodium hydrogensulphate
- Hazard statements
Causes skin irritation.
Causes serious eye irritation.
- Precautionary statements
Wear protective gloves.
Wear eye protection / face protection.
Wash thoroughly after handling.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment (see on this label).
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
If on skin: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
- Classification system:
- NFPA ratings (scale 0 - 4)

Health = 1
Fire = 0
Reactivity = 0

- HMIS-ratings (scale 0 - 4)

HEALTH 1 Health = 1
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/11/2015

Reviewed on 03/18/2015

Trade name: STUFF for STAINLESS STEEL

(Contd. of page 1)

· vPvB: Not applicable.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

1317-95-9	Silica-Crystalline Tripoli	50-100%
7681-38-1	sodium hydrogensulphate	10-25%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product and launder before reuse.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:**
Pressure demand, self-contained respiratory protection and protective clothing should be worn by firefighters in areas where product would be stored or used.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Thorough dedusting.
Never add concentrated alkaline or acidic materials to heated tanks without extreme caution to reduce the danger of chemical reactions and potential employee exposures.
Never add water directly to concentrated alkaline or acidic materials. Always add material into water for dilution.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 3)

US

Trade name: STUFF for STAINLESS STEEL

(Contd. of page 2)

• **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

• Components with limit values that require monitoring at the workplace:	
1317-95-9 Silica-Crystalline Tripoli	
PEL	see Quartz listing
REL	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV	TLV withdrawn

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
 - **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
 - **Breathing equipment:** Not required.
 - **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
Safety glasses recommended at all times when working around product.



Tightly sealed goggles

9 Physical and chemical properties

• Information on basic physical and chemical properties	
• General Information	
• Appearance:	
Form:	Powder
Color:	White
• Odor:	Mild
• Odour threshold:	Not determined.
• pH-value at 20 °C (68 °F):	< 2
• Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
• Flash point:	Not applicable.
• Flammability (solid, gaseous):	Not determined.

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/11/2015

Reviewed on 03/18/2015

Trade name: STUFF for STAINLESS STEEL

(Contd. of page 3)

· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.
- Possibility of hazardous reactions Reacts with alkali (lyes).
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:
 - Sulfur dioxide
 - Sulphur trioxide (SO3) or SO3-mist

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
 - on the skin: Caustic effect on skin and mucous membranes.
 - on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
1317-95-9 Silica-Crystalline Tripoli	1
· NTP (National Toxicology Program)	
1317-95-9 Silica-Crystalline Tripoli	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

US

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/11/2015

Reviewed on 03/18/2015

Trade name: STUFF for STAINLESS STEEL

(Contd. of page 4)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**
Dispose of unused material and/or containers in accordance with local, state, federal, and national regulations.
Empty containers may retain product residue and/or vapors. Obey all hazard warnings and handle empty containers as if contents retained. Improper reuse or disposal of containers may be dangerous and/or illegal. Do not use for another purpose when empty. FOR INDUSTRIAL USE ONLY.

14 Transport information

• UN-Number	Not Regulated for Transportation
• DOT, ADN, IMDG, IATA	
• UN proper shipping name	Not Regulated for Transportation
• DOT, ADN, IMDG, IATA	
• Transport hazard class(es)	
• DOT, ADN, IMDG, IATA	
• Class	Not Regulated for Transportation
• Packing group	
• DOT, IMDG, IATA	Not Regulated for Transportation
• Environmental hazards:	
• Marine pollutant:	No
• Special precautions for user	Not applicable.
• EMS Number:	F-A,S-B
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	
• IMDG	
• Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
• UN "Model Regulation":	-

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/11/2015

Reviewed on 03/18/2015

Trade name: STUFF for STAINLESS STEEL

(Contd. of page 5)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

• **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

• **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

• **TSCA (Toxic Substances Control Act):**

7681-38-1 | sodium hydrogensulphate

• **Proposition 65**

• **Chemicals known to cause cancer:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

• **Carcinogenic categories**

• **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

• **TLV (Threshold Limit Value established by ACGIH)**

1317-95-9 | Silica-Crystalline Tripoli

A2

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

1317-95-9 | Silica-Crystalline Tripoli

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of the seller's knowledge. However, seller makes no warranty whatsoever, expressed, implied, or of merchantability regarding the accuracy of such data or the results to be obtained from the use thereof. Seller assumes no responsibility for injury to buyer or to third persons and buyer assumes all such risks. Seller assumes no responsibility for any damage to any property and buyer assumes all such risks.

• **Contact:** Q/C

• **Date of preparation / last revision** 08/11/2015 / -

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

US